







### OUTPUT SHAFT COUPLING & PROPELLER COUPLING DIMENSION




## INPUT COUPLING DIMENSION





DMT 170HL MARINE TRANSMISSION SPECIFICATION			
GEAR RATIO	4.04, 4.48		
TOTAL WEIGHT	APPROX. 352.5 kg(DRY)		
OIL CAPACITY	APPROX. 10 L		
OIL VISCOSITY	SAE # 30		
OIL PRESSURE	1.96 ~ 2.54 MPa	CLUTCH OIL	
DIRECTION OF ROTATION IN FORWARD	INPUT	C.C.W VIEWED FROM THE STERN	
	OUTPUT	C.W VIEWED FROM THE STERN	
OIL CHANGE INTERVAL	THE FIRST 100HOURS OF INITIAL OPERATION AND EVERY 1000HOURS THEREAFTER		
SHIFTING LIMIT	UNDER 50% OF THE RATED ENGINE SPEED		
OIL COOLER	WATER FLOW 40 ~ 60L/min		
	TEMPERATURE OF COOLING WATER	MAX 32°C	
OPERATING TORQUE OF SHIFTING LEVER		UNDER 2.94Nm	



BRACKET DIMENSION



REMARK (HOT) 4  
1.HOUSING: SAE#2 2  
2.DRIVING RING: SAE 11.5"  
3.COUPLING TYPE : DUAL STAGE  
4.APPLICATION ENGINE : STANDARD

원 동 기 차 TOLERANCE ON					번호 NO.	품 명 PART NO.	품 명 PART NAME		개 수 Q'TY	재 질 MATERIAL	구 직 SIZE	비 고 REMARKS			
분 수 FRACTIONS 소 수 DECIMALS 각 도 ANGLES ± — ± — ± —					재 질 MATERIAL		형 식 TYPE		DMT170HL	원 도 번 ORIGINAL DWG. NO.					
정밀도 정밀도 정밀도 정밀도 정밀도 1 초과 4 이하 ± 0.3 ± 0.1 ± 0.05 4 16 ± 0.5 ± 0.2 ± 0.07 16 63 ± 0.7 ± 0.3 ± 0.1 63 250 ± 1.2 ± 0.5 ± 0.2 250 1000 ± 2.0 ± 0.8 ± 0.3						작성 DATE 2018.06.29	척 도 SCALE N/S	품 명 NAME	MARINE TRANSMISSION						
					승 인 APPROVED BY JK.Kim	검 도 CHECKED BY TH.Cha	재 도 설 계 DRAWN DESIGNED MA.Kim	도 번 DWG. NO.	17000GHB~C-2115DCH	개칭 (REV.) 000					
											크 기 SIZE	A 3	코-드 번 호 CODE ID. NO.		